KUPAN

LOCKER CATALOG

INTRODUCTION

KUPAN was founded in 1970 as a family owned company in the east of The Netherlands. The founder, Jan Ten Brinke, was one of the pioneers who started the company by engineering, producing, selling and installing waterproof products based on compact HPL (High Pressure Laminate) in the Netherlands. Nowadays the company is owned by the second generation of the family Ten Brinke. Over the past two decades KUPAN has become a leading market player and offers a comprehensive product portfolio for customers worldwide in all market segments.

KUPAN PRODUCTS

- Lockers
- Cubicles
- Benches
- Wardrobe
- Vanity units
- Locking systems
- Cloakroom benches
- Water-resistant doors
- Lab & cleanroom furniture

KUPAN MARKET EXPERIENCE

- Airports
- Industries
- Healthcare
- Sports facilities
- Swimming pools
- Offices and hotels
- Stadiums and arenas
- Recreational facilities
- Universities and schools
- Wellness and fitness centres

COMPACT HPL

Compact High Pressure Laminate (HPL) is produced by sandwiching layers of paper and phenolic resins and fusing them together under intense heat and pressure. It will become a self-supporting panel that offers enhanced performance for high traffic environments. Constructed from multiple layers of high quality paper, impregnated with thermosetting phenolic resins. The layers form a single, high strength, tough and totally waterproof panel.

LOCKERS

KUPAN lockers stand for quality and design. The lockers are available in different sizes for a variety of users in all kinds of environments. The lockers feature several unique characteristics. Recessed doors make the lockers highly secure and give an attractive flat front. The maintenance-free, self-closing hinge system is an innovative solution. As the lockers are supplied pre-assembled, the required installation time is minimal and stability is assured.

It is possible to choose from various skirting systems, top panels, mechanical locks, coin-operated locks, individual electronic locks or system locks of various brands. The many options for colours, engraving and handles make it possible to give the lockers their own identity that suits the environment in which they will be installed.

Optional: full colour customised stickering or printing

For more info, please contact your local KUPAN dealer.

In this brochure you can find our standard locker models. Alternative quantities up to 10 doors per column and/or different dimensions are also possible. Please contact your local dealer for more info.

LOCKER MODEL 1 TL
page 4

LOCKER MODEL 5 TL
page 12



LOCKER MODEL 2 TL
page 6

Z LOCKER MODEL
page 14

LOCKER MODEL 3 TL
page 8

LOCKING SYSTEMS
page 16

LOCKER MODEL 4 TL
page 10

0029 silvretta
0811 cello
0877 light sawcut oak
0733 hygienic white
0085 white
0074 pastel grey
0075 dark grey
0077 charcoal
0725 yellowish green
0010 mango
0718 arctic
0067 red

KUPAN STANDARD COLOURS

LOCKERS - **1 TL 300**

4 Column in perspective



Front view Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 1820	**Body Width** 300 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **1 TL 400**

3 Column in perspective



Front view Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 1820 mm	**Body Width** 400 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **2 TL 300**

4 Column in perspective



Front view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 910 mm	**Body Width** 300 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **2 TL 400**

3 Column in perspective



Front view

Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 910 mm	**Body Width** 400 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **3 TL 300**

4 Column in perspective



Front view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 606 mm	**Body Width** 300 mm

MATERIAL SPECS

Door	:	13 mm Compact HPL
Plinth	:	13 mm Compact HPL
External walls	:	13 mm Compact HPL
Internal walls	:	8 mm Compact HPL
Shelves	:	8 mm Compact HPL
Back panel	:	2,5 mm Compact HPL
Adjustable plinth	:	Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **3 TL 400**

3 Column in perspective



Front view Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 606 mm	**Body Width** 400 mm

MATERIAL SPECS

Door	:	13 mm Compact HPL
Plinth	:	13 mm Compact HPL
External walls	:	13 mm Compact HPL
Internal walls	:	8 mm Compact HPL
Shelves	:	8 mm Compact HPL
Back panel	:	2,5 mm Compact HPL
Adjustable plinth	:	Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **4 TL 300**

4 Column in perspective



Front view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 455 mm	**Body Width** 300 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **4 TL 400**

3 Column in perspective



Front view Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 455 mm	**Body Width** 400 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **5 TL 300**

4 Column in perspective



Front view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 364 mm	**Body Width** 300 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **5 TL 400**

3 Column in perspective



Front view Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 364 mm	**Body Width** 400 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **2 TLZ 300**

4 Column in perspective



Front view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 1375 mm	**Body Width** 300 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

LOCKERS - **2 TLZ 400**

3 Column in perspective



Front view

Side view



Modules

STANDARD DIMENSIONS					
L	**D**	**H0**	**H1**	**H2**	**B**
Total Length 1218 mm	**Total Depth** 500 mm	**Total Height** 2000 mm	**Plinth Height** 180 mm	**Body Height** 1375 mm	**Body Width** 400 mm

MATERIAL SPECS

Door	:	13 mm	Compact HPL
Plinth	:	13 mm	Compact HPL
External walls	:	13 mm	Compact HPL
Internal walls	:	8 mm	Compact HPL
Shelves	:	8 mm	Compact HPL
Back panel	:	2,5 mm	Compact HPL
Adjustable plinth	:		Integrated

OPTIONS

- Turning directions left or right (DIN)
- Number engraving
- Sloping tops
- Top panels
- Ventilation cut out
- Filler panels
- Bench mounted
- Extra shelves

Other adjustments upon request

Optional: full colour customised stickering or printing

These are a few of our basic locking models. Other brands and types are also possible.

For more info, please contact your local KUPAN dealer.

ELECTRONIC PINCODE LOCK

- Available in single and multi user
- Four digit user code
- Suitable for dry and wet areas

CYLINDER LOCK

- Removable cylinder
- Delivered with two keys
- Suitable for dry and wet areas

COIN LOCK

- Removable cylinder with safety key
- Multiple coin options
- Suitable for dry and wet areas

LOCKERHASP

- For padlocks
- Delivered excluding padlock
- Suitable for dry and wet areas

MECHANICAL PINCODE LOCK

- Four digit user code
- Fixed user
- Suitable for dry areas

KUPAN

For more info, please contact your local KUPAN dealer.